



## COMMONWEALTH of VIRGINIA

### *Mount Rogers Health District*

*201 Francis Marion Lane*

*Marion, VA 24354*

## FLU VACCINATION CLINICS IMMEDIATE RESPONSE REQUESTED

Dear Student, Parents, School Staff,

Influenza (Flu) and COVID-19 are both contagious respiratory illnesses, but they are caused by different viruses. COVID-19 is caused by infection with a new coronavirus (called SARS-CoV-2) and flu is caused by infection with influenza viruses. Because some of the symptoms of flu and COVID-19 are similar, it may be hard to tell the difference between them based on symptoms alone. In an effort to prevent as much illness as possible, it is strongly recommended for everyone to receive a flu immunization.

The Mount Rogers Health District in cooperation with the Wythe County School System are pleased to provide Flu Vaccination Clinics for students, parents, and school staff on the following dates:

- October 5<sup>th</sup> 3:00 pm to 7:00 pm at George Wythe High School Gymnasium
- October 6<sup>th</sup> 3:00 pm to 7:00 pm at Rural Retreat High School Gymnasium
- October 8<sup>th</sup> 3:00 pm to 7:00 pm at Fort Chiswell High School Gymnasium

The Mount Rogers Health District will offer the flu shot. Medicaid and private insurances will be billed but there will be no out of pocket expenses billed to the patient.

**In order to receive the Flu Vaccine, you should:**

Go to this link or scan the QR code English - <https://is.gd/virtualflu>; Spanish - <https://is.gd/virtualfluSP>



- Complete registration and select a time block by **October 1, 2020 at 5:00 pm. To allow sufficient time to review the health histories, it is important that you register by October 1st.**
- Be sure to read the vaccine information sheet.
- Bring a face covering to wear during the clinic.

LOCAL HEALTH DEPARTMENTS  
SERVING THE PEOPLE OF

Bland  
Wythe  
Carroll  
Galax  
Grayson  
Smyth  
Washington  
Bristol



Karen Shelton, MD, Director  
Phone: 276/781-7450  
Fax: 276/781-7455

Email  
karen.shelton@vdh.virginia.gov

## COMMONWEALTH of VIRGINIA

*Mount Rogers Health District*

*201 Francis Marion Lane*

*Marion, VA 24354*

We appreciate your help in keeping yourself, your schools, and our communities healthy. If you have questions or concerns, please contact the Wythe County Health Department at (276) 228-5507.

Sincerely,

A handwritten signature in cursive script that reads 'Karen Shelton MD'.

Dr. Karen Shelton, Medical Director  
Mount Rogers Health District

# Influenza (Flu) Vaccine (Inactivated or Recombinant): *What you need to know*

Many Vaccine Information Statements are available in Spanish and other languages. See [www.immunize.org/vis](http://www.immunize.org/vis)

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite [www.immunize.org/vis](http://www.immunize.org/vis)

## 1 Why get vaccinated?

**Influenza vaccine** can prevent **influenza (flu)**.

**Flu** is a contagious disease that spreads around the United States every year, usually between October and May. Anyone can get the flu, but it is more dangerous for some people. Infants and young children, people 65 years of age and older, pregnant women, and people with certain health conditions or a weakened immune system are at greatest risk of flu complications.

Pneumonia, bronchitis, sinus infections and ear infections are examples of flu-related complications. If you have a medical condition, such as heart disease, cancer or diabetes, flu can make it worse.

Flu can cause fever and chills, sore throat, muscle aches, fatigue, cough, headache, and runny or stuffy nose. Some people may have vomiting and diarrhea, though this is more common in children than adults.

Each year **thousands of people in the United States die from flu**, and many more are hospitalized. Flu vaccine prevents millions of illnesses and flu-related visits to the doctor each year.

## 2 Influenza vaccine

CDC recommends everyone 6 months of age and older get vaccinated every flu season. **Children 6 months through 8 years of age** may need 2 doses during a single flu season. **Everyone else** needs only 1 dose each flu season.

It takes about 2 weeks for protection to develop after vaccination.

There are many flu viruses, and they are always changing. Each year a new flu vaccine is made to protect against three or four viruses that are likely to cause disease in the upcoming flu season. Even when the vaccine doesn't exactly match these viruses, it may still provide some protection.

Influenza vaccine **does not cause flu**.

Influenza vaccine may be given at the same time as other vaccines.

## 3 Talk with your health care provider

Tell your vaccine provider if the person getting the vaccine:

- Has had an **allergic reaction after a previous dose of influenza vaccine**, or has any **severe, life-threatening allergies**.
- Has ever had **Guillain-Barré Syndrome** (also called GBS).

In some cases, your health care provider may decide to postpone influenza vaccination to a future visit.

People with minor illnesses, such as a cold, may be vaccinated. People who are moderately or severely ill should usually wait until they recover before getting influenza vaccine.

Your health care provider can give you more information.



## 4 Risks of a vaccine reaction

- Soreness, redness, and swelling where shot is given, fever, muscle aches, and headache can happen after influenza vaccine.
- There may be a very small increased risk of Guillain-Barré Syndrome (GBS) after inactivated influenza vaccine (the flu shot).

Young children who get the flu shot along with pneumococcal vaccine (PCV13), and/or DTaP vaccine at the same time might be slightly more likely to have a seizure caused by fever. Tell your health care provider if a child who is getting flu vaccine has ever had a seizure.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

## 5 What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call **9-1-1** and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at [www.vaers.hhs.gov](http://www.vaers.hhs.gov) or call **1-800-822-7967**. *VAERS is only for reporting reactions, and VAERS staff do not give medical advice.*

## 6 The National Vaccine Injury Compensation Program

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Visit the VICP website at [www.hrsa.gov/vaccinecompensation](http://www.hrsa.gov/vaccinecompensation) or call **1-800-338-2382** to learn about the program and about filing a claim. There is a time limit to file a claim for compensation.

## 7 How can I learn more?

- Ask your healthcare provider.
- Call your local or state health department.
- Contact the Centers for Disease Control and Prevention (CDC):
  - Call **1-800-232-4636 (1-800-CDC-INFO)** or
  - Visit CDC's [www.cdc.gov/flu](http://www.cdc.gov/flu)

Vaccine Information Statement (Interim)  
**Inactivated Influenza  
Vaccine**



Office use only